

MLG33PD

MAYTAG® COMMERCIAL ENERGY ADVANTAGE™ MULTI-LOAD STACK DRYER



Model MLG33PD
shown in White.

Model MLG33PD
shown in Stainless
Steel.

LEGENDARY MAYTAG DEPENDABILITY

Maximizing your equipment investment for over a half century.



MORE ENERGY-SAVING SOLUTIONS THAN ANY OTHER BRAND

Maytag built the first appliance ever to receive the ENERGY STAR® label. Today we offer more high-efficiency laundry appliances than any other brand — from energy-efficient dryers to highly efficient ENERGY STAR®-qualified washers — to help you save money and build profits.

UPDATED CONTROLS

Includes Maytag® Accu Trac® audit system that uses a PDA to communicate with the microprocessor controls — so you can set up, monitor and audit your equipment in seconds.

FOR YOUR CUSTOMERS:

- Fast-Drying Axial Airflow System
- ThermoGuard™ System Helps Prevent Laundry Overheating
- Extra-Large Door Openings
- Digital Display Shows Time Remaining In Cycle

FOR YOUR OPERATION:

- Lowest-BTU Dryer On The Market
- Improved Insulation For Greater Efficiency
- Front Serviceable
- Accu Trac® Audit System With Two-Way Data Communications
- Single Coin Box For Both Dryers
- Front Access For Easy Service
- 2 Large-Capacity Lint Drawers

BUILT-TO-LAST™ FEATURES:

- Heavy-Duty Enclosed Motors
- The Best Warranty In The Business

**SAVES UP TO 23%
IN ENERGY
AND UTILITY COSTS.***

* Based on comparison between Maytag® MLG33 and Maytag® MLG32.

LAUNDRY SOLUTIONS
YOU CAN **DEPEND ON.**



www.maytagcommerciallaundry.com

OUR COMMITMENT TO DEPENDABLE QUALITY

At Maytag, we believe durable goods should remain just that. That's why every Maytag® product is constructed of the highest-quality materials and with the utmost in precision craftsmanship. It's also why we stand behind our equipment with solid service and support from our professional Maytag laundry suppliers. Simply put, when you choose Maytag® products, you ensure your peace of mind.





MLG33PD

MAYTAG® COMMERCIAL ENERGY ADVANTAGE™ MULTI-LOAD STACK DRYER

Maytag® Energy Advantage™ Multi-Load Stack Dryer MICROPROCESSOR COIN-DROP

Energy Advantage™ Multi-Load Stack Dryer	
DRYER SPECIFICATIONS	
MODEL	MLG33PD
MOTOR	
Single-phase, thermoprotected against overload, auto-reset	•
Drive Motor — HP (kw)	¼ (.19)
Blower Motor — HP (kw)	½ (.37)
CAPACITY	
Lbs. (kg) per drying chamber	30 (13.6)
Cu. ft. (cu. m) per drying chamber	11.04 (.312)
AIRFLOW	
Cfm (cmm) per drying chamber	360 (10.2)
TUMBLERS	
Diameter — in. (cm)	30 (76.2)
Depth — in. (cm)	27 (68.5)
DOOR OPENING DIAMETER	
In. (cm)	19.375 (49.2)
ELECTRICAL REQUIREMENTS	
BREAKER/FUSE REQUIREMENTS	120V, 60 Hz
Amps per drying chamber	10.3
EXHAUST DUCT DIAMETER	
In. (cm)	2 x 6 (15.2)
GAS RATING	
BTU/hr. (kcal/hr.) per drying chamber	55,000 (13,860)
GAS INLET	
In. N.P.T.	2 x ½
COLORS	
White	•
Stainless Steel	•
APPROXIMATE WEIGHT	
Crated — lbs. (kg)	580 (263)
Uncrated — lbs. (kg)	550 (249)
See specific instructions for proper installation. Because of continuous product improvement, Maytag reserves the right to change specifications without notice.	



MAXIMUM EXHAUST DUCT LENGTH PER NUMBER OF TURNS

Number Of 90° Turns	Rigid Metal Vent	
	Box Hood and Louvered Style	Angled Hood Style
0	135 ft. (41.2 m)	129 ft. (39.3 m)
1	125 ft. (38.1 m)	119 ft. (36.3 m)
2	115 ft. (35.1 m)	109 ft. (33.2 m)
3	106 ft. (32.3 m)	100 ft. (30.5 m)
4	98 ft. (29.9 m)	92 ft. (28.0 m)

Number Of 90° Turns	Flexible Metal Vent	
	Box Hood and Louvered Style	Angled Hood Style
0	76 ft. (23.2 m)	62 ft. (18.9 m)
1	71 ft. (21.6 m)	57 ft. (17.4 m)
2	67 ft. (20.4 m)	53 ft. (16.2 m)
3	65 ft. (19.8 m)	51 ft. (15.6 m)
4	63 ft. (19.2 m)	49 ft. (14.9 m)



NEW YORK CITY M.E.A.



For more information and pricing, contact:

Equipment Marketers

100 Melrose Avenue
Cherry Hill, NJ 08003

Phone: 800.223.1376

Fax: 856.428.5477

www.equipmentmarketers.net

maytag@equipmentmarketers.net



5 YEARS ON ALL PARTS

For a period from the date of original purchase through the time listed above, the designated parts that fail in normal commercial use will be repaired or replaced free of charge for the part itself, with the owner paying all other costs, including labor, transportation and customs duty. Chemical damage is excluded from all warranty coverage. See complete warranty for details.